

2009 International Energy Conservation Code – Amendments

- (A) **Section 101.1 Title.** Insert “Rutherford County, TN” in place of “[Name of Jurisdiction]”.
- (B) **Section 101.4.4 Change in occupancy of use.** Delete this section in its entirety.
- (C) **Section 103.1 General.** Add the following sentence to the end of the first paragraph: “The Building Official may choose to accept a certification signed by a designer or contractor for compliance with this code for all structures except single family dwellings, townhomes and duplexes.”
- (D) **Section 104.1 General.** Add the following sentence to the end of the section: “The approval of the Building Official may be based on a certification by the designer or contractor as to compliance, as the Building Official may choose, for all structures except single family dwellings, townhomes and duplexes.”
- (E) **Section 107 Fees.** Delete the fees in its entirety.
- (F) **Section 109 Board of Appeals.** Delete this section in its entirety and substitute the following:
(per Adam)
- (G) **Section 202 General Definitions. Residential Building.** Delete the existing definition and substitute the following: “For the purposes of this code is a single family dwelling, townhome and duplex.”
- (H) **Section 402.4.2 Air sealing and insulation.** Delete the following: “...one of the following options given by...” and delete “... or 402.4.2.2.” visual inspection.
- (I) **Section 402.4.1 Testing option.** Delete “option” from the title of the section. Also add the following to the end of the last sentence: “The test must be performed by a qualified person who is certified as or accredited by the following: HERS rater, Building Performance Institute, Certified Duct or Envelope Tightness Verifier, or other approved agency as determined by the Building Official. This test cannot be performed by the prime contractor as listed on the building permit or a direct employee of the prime contractor. A certification from the person performing the test shall be submitted with the following information:
- | | |
|----------------------------------|------------------------------------|
| Address where test was performed | Name of person performing the test |
| Date when the test was performed | Company name |
| Results of test in A.C.H. “ | |
- (J) **Section 403.2.2 Sealing (Mandatory).** Add the following sentence to the end of the 2nd sentence of the 1st paragraph: “The test must be performed by a qualified person who is certified as or accredited from the following: HERS rater, Building Performance Institute, Certified Duct or Envelope Tightness Verifier, or other approved agency as determined by the Building Official. A certification from the person performing the test shall be submitted with the following information:
- | | |
|----------------------------------|------------------------------------|
| Address where test was performed | Name of person performing the test |
| Date when test was performed | Company name |
| Results of test in A.C.H. “ | |
-